Sika® Injection-222



Version SDS Number: Date of last issue: 02.02.2022 Revision Date: 100000041413 Date of first issue: 02.02.2022 2.0 13.02.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sika® Injection-222

Manufacturer or supplier's details

Company Sika Australia Pty. Ltd.

55 Elizabeth Street Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number: +61 1800 033 111

: +61 2 9725 33 30 Telefax

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2A

Respiratory sensitisation Category 1

Skin sensitisation Category 1

Category 2 Carcinogenicity

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

Specific target organ toxicity - : Category 2

repeated exposure (Inhala-

tion)

GHS label elements

Hazard pictograms





Signal word

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or re-

peated exposure if inhaled.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P284 Wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|------------|-----------------------|
| triethyl phosphate | 78-40-0 | >= 30 -< 60 |
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | >= 20 -< 30 |
| 4,4`-Methylenediphenyl diisocyanate, oligomers | 25686-28-6 | >= 1 -< 10 |
| o-(p-isocyanatobenzyl)phenyl isocyanate | 5873-54-1 | < 1 |

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

irritant effects

sensitising effects
Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May cause respiratory irritation. Suspected of causing cancer.

May cause damage to organs through prolonged or repeated

exposure if inhaled. Asthmatic appearance

Cough

Respiratory disorder Allergic reactions

See Section 11 for more detailed information on health effects

and symptoms.

Notes to physician : Treat symptomatically.

Sika® Injection-222



Date of last issue: 02.02.2022 Version Revision Date: SDS Number: 100000041413 Date of first issue: 02.02.2022 13.02.2025 2.0

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment. Deny access to unprotected persons.

Environmental precautions Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against:

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Avoid formation of aerosol.

Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink.

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store in original container.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis | |
|---|--|-------------------------------------|--|--------|--|
| 4,4'-methylenediphenyl diisocyanate | 101-68-8 | TWA | 0.02 mg/m3 (NCO) | AU OEL | |
| | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser | | | | |
| | | STEL | 0.07 mg/m3 (NCO) | AU OEL | |
| 4,4`-Methylenediphenyl diiso- cyanate, oligomers | 25686-28-6 | TWA | 0.02 mg/m3 (NCO) | AU OEL | |
| | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser | | | | |
| | | STEL | 0.07 mg/m3 (NCO) | AU OEL | |
| o-(p-isocyanatobenzyl)phenyl isocyanate | 5873-54-1 | TWA | 0.02 mg/m3 (NCO) | AU OEL | |
| - | Further information: Sensitiser | | | | |
| | | STEL | 0.07 mg/m3 (NCO) | AU OEL | |
| | | TWA | 0.02 mg/m3 (NCO) | AU OEL | |
| | Further information: Category 2 (Carc. 2) Suspected human carcinogen, Sensitiser | | | | |
| | | STEL | 0.07 mg/m3 (NCO) | AU OEL | |

Appropriate engineering

controls

Use adequate ventilation and/or engineering controls to pre-

vent exposure to vapours.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Eye protection : Safety glasses

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers)

Follow AS 2210:3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid (20 °C (68 °F))

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/ range / Freez-

ing point

No data available

Boiling point/boiling range : No data available

Flash point : $> 165 \,^{\circ}\text{C} \, (329 \,^{\circ}\text{F})$

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 0.52 hPa

Relative vapour density : No data available

Density : ca. 1.1 g/cm3 (25 °C (77 °F))

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Sika® Injection-222



Date of last issue: 02.02.2022 Version Revision Date: SDS Number: 100000041413 Date of first issue: 02.02.2022 13.02.2025 2.0

No data available

Partition coefficient: n-

octanol/water

Auto-ignition temperature

No data available

Decomposition temperature No data available

Viscosity

ca. 250 mPa.s (25 °C (77 °F)) Viscosity, dynamic

Viscosity, kinematic No data available

Explosive properties No data available

Oxidizing properties No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention

and control)

Volatile organic compounds (VOC) content: < 0% w/w

SECTION 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability The product is chemically stable.

Possibility of hazardous reac- : No hazards to be specially mentioned.

Conditions to avoid No data available

Incompatible materials see section 7.

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

triethyl phosphate:

Acute oral toxicity : LD50 Oral (Rat): 1,600 mg/kg

4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity LD50 Oral (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC50: 1.5 mg/l

Exposure time: 4 h

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

Test atmosphere: dust/mist Method: Expert judgement

4,4'-Methylenediphenyl diisocyanate, oligomers:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50: 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Expert judgement

Acute dermal toxicity : LD50 Dermal (Rabbit): > 9,400 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

: Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Sika® Injection-222



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.02.2022

 2.0
 13.02.2025
 100000041413
 Date of first issue: 02.02.2022

Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons :

Standard) Instrument

Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

: Not applicable

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 13.02.2025 Date of last issue : 02.02.2022 Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Sika® Injection-222



| Version 2.0 | Revision Date: 13.02.2025 | | SDS Number: 100000041413 | Date of last issue: 02.02.202 Date of first issue: 02.02.202 | |
|----------------|---------------------------|---|---|---|--|
| | | | Dangerous Goods by Road | | |
| CAS | | : | Chemical Abstracts Service | | |
| DNEL | | : | Derived no-effect level | | |
| EC50 | | : | Half maximal effective concen | tration | |
| GHS | | : | Globally Harmonized System | | |
| IATA | | : | International Air Transport Ass | sociation | |
| IMDG | | : | International Maritime Code for Dangerous Goods | | |
| LD50 | | : | Median lethal dosis (the amou once, which causes the death test animals) | int of a material, given all at of 50% (one half) of a group of | |
| LC50 | | : | Median lethal concentration (cair that kills 50% of the test arperiod) | concentrations of the chemical in immals during the observation | |
| MARPOL | | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 | | |
| OEL | | : | Occupational Exposure Limit | | |
| PBT | | : | Persistent, bioaccumulative ar | nd toxic | |
| PNEC | | : | Predicted no effect concentrate | | |
| REACH | | : | | mber 2006 concerning the Regation and Restriction of Chemi- | |
| SVHC vPvB | | : | Substances of Very High Con- Very persistent and very bioact | cern | |

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN