

PRODUCT DATA SHEET

SikaRoof® VersiWall GP Mesh Bracket

MESH BRACKET FOR WALL MOUNTED LANDSCAPE GREENING

DESCRIPTION

SikaRoof® VersiWall GP Mesh Bracket is a bracket to mount steel wire meshes onto walls to create green wall facades. Brackets are manufactured from stainless steel (SUS 304), and it has two anti-lift arms to prevent removal of the wire mesh.

SikaRoof® VersiWall GP Mesh Bracket is used in conjunction with SikaRoof® VersiWall GP 2060, SikaRoof® VersiWall GP 2020, SikaRoof® VersiWall GP 250 and SikaRoof® VersiWall GP 150 with a steel wire mesh to create a green wall system.

USES

Brackets are used to create green walls on either internal or external wall facades.

PRODUCT INFORMATION

Packaging

- SikaRoof® VersiWall GP Mesh Bracket SUS304
Refer to pricelist

Appearance and colour

Silver bracket with two hooks and two anti-lift arms



Shelf life	No expiration date if the product is stored in accordance to the storage conditions as stated in this Product Data Sheet.
Storage conditions	Products must be stored in their original packing, in their original box, and under cool and dry conditions. The product must be protected from direct sunlight, rain, snow and ice, and any other elements.
Dimensions	45 x 40 x 42 mm

TECHNICAL INFORMATION

Resistance to static loading	110 kg/m ²
Shear strength	117 N/mm ²

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

IMPORTANT CONSIDERATIONS

For more information, please contact Sika Sales Personnel.

ECOLOGY, HEALTH AND SAFETY

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in the product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0,1 % (w/w).

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no war-

ranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Australia Pty Limited

ABN 12 001 342 329

aus.sika.com

Tel: 1300 22 33 48

Product Data Sheet

SikaRoof® VersiWall GP Mesh Bracket

May 2026, Version 01.01

020945051990244866

