

PRODUCT DATA SHEET

SikaRoof® VersiScape Wall Spacer

WALL SPACER FOR SAFETY PANEL SYSTEM FOR RAISED PAVING FLOORING

DESCRIPTION

SikaRoof® VersiScape Wall Spacer is an accessory to create a gap between the raised safety panel and the surrounding parapet wall. Wall spacers are manufactured from recycled polypropylene (PP), and it has a compressible buffer to accommodate the expansion and contraction of materials under thermal influence. SikaRoof® VersiScape Wall Spacer is used in conjunction with SikaRoof® VersiScape™ Panel and is installed between the panels and the finishes.

USES

Wall spacer for safety panel with raised paving installations on podiums, balconies, roof terraces and areas with hardscape finishes.

FEATURES

- Wall buffer for raised safety panel system
- Recyclable components
- Resistant to biological attack by moulds and algae
- Chemically resistant to acids, alkalis, oils and soil chemicals
- Operates within a wide service temperature range

PRODUCT INFORMATION

Packaging

- SikaRoof® VersiScape Wall Spacer
Refer to pricelist

Appearance and colour

Black wall buffer



Shelf life	No expiration date if the product is stored in accordance to the storage conditions as stated in this Product Data Sheet.
Storage conditions	Product must be stored in their original packing, and under cool and dry conditions. The product must be protected from direct sunlight, rain, snow and ice, and any other elements.
Thickness	Spacer Tab Thickness 4 mm Wall Spacer Gap 10 mm
Height	Spacer Tab Height 12 mm

TECHNICAL INFORMATION

Service temperature	- 30 °C to 80 °C
----------------------------	------------------

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

IMPORTANT CONSIDERATIONS

- SikaRoof® VersiScape Wall Spacer is not resistant to permanent weathering and UV exposure. For more information, please contact Sika Sales Personnel.

ECOLOGY, HEALTH AND SAFETY

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in the product

data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0,1 % (w/w).

APPLICATION INSTRUCTIONS

SUBSTRATE PREPARATION

Clean and sound surface shall have at least a wood float finish. All holes, joints, and cracks and honeycombs in concrete or masonry surfaces shall be filled with an approved grout and allowed to cure. High spots in concrete or masonry surfaces shall be cut off or ground down to prevent damage/puncture to the pedestal base.

APPLICATION

SikaRoof® VersiScape Wall Spacer shall be installed with SikaRoof® VersiScape™ Panels. SikaRoof® VersiScape Wall Spacer shall be placed on top of the corners

of SikaRoof® VersiScape™ Panel, along the perimeter of the raised flooring installation before placing stone, concrete or porcelain pavers.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika Australia Pty Limited

ABN 12 001 342 329

aus.sika.com

Tel: 1300 22 33 48

Product Data Sheet

SikaRoof® VersiScape Wall Spacer

May 2026, Version 01.01

020945051990243805

