Dulux Rendewall 4001



Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2021
3.0	20.01.2022	10000034468	Date of first issue: 13.10.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	E Dulux Rendewall 4001
Product code	: 10000034468
Manufacturer or supplier's	details
Company	: Sika Australia Pty. Ltd. 55 Elizabeth Street Wetherill Park, NSW 2164
Telephone	: +61 2 9725 11 45
Telefax	: +61 2 9725 33 30
Emergency telephone num- ber	: +61 1800 033 111

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		Cotogony 2
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	EE !
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response:
		1/9

Dulux Rendewall 4001



Version 3.0	Revision Date: 20.01.2022	SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020
		and keep comfortable for b doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. F and easy to do. Continue ri CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON n or rash occurs: Get medical ad- aminated clothing and wash it before
		Storage: P403 + P233 Store in a we tightly closed.	ll-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 60 -<= 100
Cement, portland, chemicals	65997-15-1	>= 20 -< 30

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses.
		2/9

Dulux Rendewall 4001



Version 3.0	Revision Date: 20.01.2022	SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020		
		Keep eye wide open while	rinsing.		
If swallowed		 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. 			
Most important symptoms and effects, both acute and delayed		 irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin Causes serious eye damag May cause respiratory irritation 	ge.		
Notes	to physician	: Treat symptomatically.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- : ucts	No hazardous combustion products are known
Specific extinguishing meth- : ods	Standard procedure for chemical fires.
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures		Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
Environmental precautions	•	Do not flush into surface water or sanitary sewer system.	
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.	

SECTION 7. HANDLING AND STORAGE

Dulux Rendewall 4001



Version 3.0	Revision Date: 20.01.2022		SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020
	dvice on protection against e and explosion	:	Avoid dust formation. Provide appropriate exhaust venti is formed.	lation at places where dust
A	Advice on safe handling		Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products	
H	ygiene measures	:	Handle in accordance with good in practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	
C	onditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local reg	julations.
	urther information on stor- ge stability	:	Keep in a dry place. No decomposition if stored and ap	oplied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis	
		exposure)	concentration		
Quartz (SiO2)	14808-60-7	TWA (Res-	0.05 mg/m3	AU OEL	
		pirable dust)			
	Further information	Further information: Category 1A (Carc. 1A) Known to have car-			
	cinogenic pote				
Cement, portland, chemicals	65997-15-1	TWA	10 mg/m3	AU OEL	
Appropriate engineering controls	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.				
Personal protective equipmer	ent				
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.				

Components with workplace control parameters

Dulux Rendewall 4001



Version 3.0	Revision Date: 20.01.2022		SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020
			particulate filter P	
Hand protection		:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary. Follow AS/NZS 1337.1 Recommended: Butyl rubber, PVC, cotton gloves	
Eye p	rotection	:	Safety goggles	
Skin and body protection		:	Protective clothing (e.g. safe clothing, long trousers) Follow AS 2210:3	ety shoes, long-sleeved working

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	off-white
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1.45 g/cm3 (20 °C (68 °F))
Solubility(ies) Water solubility	:	No data available

Dulux Rendewall 4001



Versio 3.0	on Revision Date: 20.01.2022		SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
I	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	No data available	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nover emissions (integrated pollution pr Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	see section 7.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Dulux Rendewall 4001



Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2021
3.0	20.01.2022	10000034468	Date of first issue: 13.10.2020

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

	Ecotoxicity No data available	
	Persistence and degradability No data available	
	Bioaccumulative potential No data available	
	Mobility in soil No data available	
	Other adverse effects	
	Product: Additional ecological infor- : T mation	here is no data available for this product.
SEC	CTION 13. DISPOSAL CONSIDERA	TIONS

Disposal methods Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Dulux Rendewall 4001



Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2021
3.0	20.01.2022	10000034468	Date of first issue: 13.10.2020

If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National Regulations

ADG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legis Standard for the Uniform : Schedule 6 Scheduling of Medicines and Poisons	lation specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors Prohibition/Licensing Requirements	 Not applicable There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.

The components of this product are reported in the following inventories:

AIIC

: All components are listed on the inventory, regulatory obligations/restrictions apply

SECTION 16. OTHER INFORMATION

Revision Date	:	20.01.2022
Date format	:	dd.mm.yyyy

Full text of other abbreviations

Dulux Rendewall 4001



Version 3.0	Revision Date: 20.01.2022		SDS Number: 100000034468	Date of last issue: 20.12.2021 Date of first issue: 13.10.2020		
AL	JOEL	:	Australia. Workplace Exposure taminants.	e Standards for Airborne Con-		
AL	J OEL / TWA	:	Exposure standard - time weighted average			
A	DG	:	Australian Dangerous Goods Code.			
A	DR	:	European Agreement concern	ng the International Carriage of		
			Dangerous Goods by Road			
CA	AS	:	Chemical Abstracts Service			
D	NEL	:	Derived no-effect level			
EC	250	:	Half maximal effective concent	ration		
	HS	:	Globally Harmonized System			
	ТА	:	International Air Transport Association			
IMDG		:	International Maritime Code for Dangerous Goods			
LC	050	:	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC	250	: Median lethal concentration (concentrations of the chemical air that kills 50% of the test animals during the observation period)				
MARPOL		:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		:	Occupational Exposure Limit			
PE	ЗТ	:	Persistent, bioaccumulative an	d toxic		
PN	NEC	:	Predicted no effect concentration	on		
RE	EACH	:	Regulation (EC) No 1907/2006 and of the Council of 18 Decer istration, Evaluation, Authorisa cals (REACH), establishing a B	nber 2006 concerning the Reg- tion and Restriction of Chemi-		
S۱	/HC	:	Substances of Very High Cond			
vF	ΡvΒ	:	Very persistent and very bioac			

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AU / EN